



Tom Barrett  
Mayor

Bevan K. Baker, FACHE  
Commissioner of Health

Joe'Mar Hooper, MPA  
Health Operations Administrator

[www.milwaukee.gov/health](http://www.milwaukee.gov/health)

Frank P. Zeidler Municipal Building, 841 North Broadway, 3rd Floor, Milwaukee, WI 53202-3653 phone (414) 286-3521 fax (414) 286-5990

## Routine Food Reinspection #1

Brown Deer WI 5422 Inc.  
IHOP5422  
8101 W Brown Deer Rd  
Milwaukee, WI

**3/30/2015**

The following list of violations of the Wisconsin Administrative Code as adopted by reference in the Milwaukee Code of Ordinances Chapter 68, and/or other City ordinance(s) must be corrected as soon as possible but not later than the date specified. A re-inspection fee may be assessed if the violation is not corrected by that date. An inspection fee may be charged for any repeat violations.

**Fee Amount:**  
**\$213.00**

### CDC Risk Code Factor Violation(s)

Code Number	Description of Violation	Correct By
CDC Risk Violation(s):	0	

### Good Retail Practice Violations(s)

Code Number	Description of Violation	Correct By
12-201.11	There are more than 5 employees on duty, no Certified Food Manager on the premise and many critical violations present. Provide a certified food manager.	4/6/2015
2-103.11	Many critical violations are present and manager on duty has not been monitoring the store and employees as required. The Person In Charge must make sure the requirements of the Food Code are followed.	4/6/2015
3-304.11	1. Plates at the cookline have food debris on them. Manager stated the top ones were used as "lids" for the dishes below them. This is not acceptable. Keep all plates clean at all times.  2. Near the dishwasher on a shelf, several tubs of clean utensils were stored in tubs with food debris contaminating them. Food equipment must be clean and sanitized before used with food. Repeat code.	4/6/2015



Tom Barrett  
Mayor

Bevan K. Baker, FACHE  
Commissioner of Health

Joe'Mar Hooper, MPA  
Health Operations Administrator

[www.milwaukee.gov/health](http://www.milwaukee.gov/health)

Frank P. Zeidler Municipal Building, 841 North Broadway, 3rd Floor, Milwaukee, WI 53202-3653 phone (414) 286-3521 fax (414) 286-5990

3-501.16	Multiple cold holding issues: 1. the roast beef and batter in the cookline Tru reach in cooler were 43.8F. Repair cooler and move foods in the lower unit. 2. Crepes sitting out at 102.2F. Refrigerate crepes after cooking if you are not doing immediate service. 3. Hashbrowns at the cookline at 57F on ice. NO ICE as a refrigerant. 4. Discontinue ice as a refrigerant if the temperature is not at 41F or below. 5. Whipped creme that states "keep refrigerated" was at 54F. Discontinue whipped creme on ice and put in the cooler. 6. In the walk in cooler temps were: raw chicken 46.7F, cooked pot roast 46.9F, raw omelet sausage 45.8F, hard boiled eggs 47.3F, melon and other items. Potentially hazardous food must be held cold at 41 degrees or below. Repair the walk in cooler. Repeat code. All foods were either moved or disposed of.	4/6/2015
4-601.11	Clean and maintain all equipment. Clean the following: 1. Clean all the cooler doors, handles and outer surfaces free from food debris. 2. Clean the black carbon off the waffle irons. 3. Clean the inside of the microwaves. Repeat code.	4/6/2015
6-301.10	The handwash sink at the left side waitstation by the bathrooms has been disabled as a handsink and converted to a dump sink. Handsinks may not be down graded without Health Department approval. Reinstall the soap and paper towel dispensers. Provide the appropriate number of handsinks.	4/6/2015

**Good Practice Violation(s):** 6

**Total Violations:** 6

#### Notes:

Reinspection notes:

Crepes sitting out at 127F  
Hashbrowns from cooler 55F  
Liquid egg at 55F  
Plates at cookline with food debris on them.  
Butter/whipped creme 43F  
Handsink not equipped with soap and paper towel yet.  
Waffle irons and microwaves dirty.  
No signage by waffle irons for no grease production.

Additional violations:

2 dipper wells broken and leaking water onto the floor.

Fee assessed. klg

On 3/30/2015, I served these orders upon Brown Deer WI 5422 Inc. by leaving this report with



Tom Barrett  
Mayor

Bevan K. Baker, FACHE  
Commissioner of Health

Joe'Mar Hooper, MPA  
Health Operations Administrator

[www.milwaukee.gov/health](http://www.milwaukee.gov/health)

Frank P. Zeidler Municipal Building, 841 North Broadway, 3rd Floor, Milwaukee, WI 53202-3653 phone (414) 286-3521 fax (414) 286-5990

On 3/30/2015, I served these orders upon Brown Deer WI 5422 Inc. by leaving this report with

Inspector Signature (Inspector ID:84)

Operator Signature